CERTIFICATE OF ANALYSIS

Customer:

Sun State Hemp 4800 SW 51st Street, Suite 106,

Davie, FL 33314

Sample ID: Laboratory Number: ATL-1537



Report Issue Date 9/24/2021

Extraction Technician: HP

Hernan Pristo

Analytical Chemist: HP

Sample Description/Size:

D8 Cartridge / 1ml



Order Date

9/23/2021

Analysis Date 9/23/2021

CANNABINOID PROFILE

Cannabinoids (HPLC	Resu	lts	Can	nabinoid	(%)			7	
Test	LOD (mg/g)	mg/cartridge	%	0 X	20	40	60	80	100
Cannabidivarin (CBDV)	<0.5	0	0				_///		
Cannabidiolic Acid (CBD-A)	< 0.4	0	0	VV	11111				
Cannabigerolic Acid (CBG-A)	<0.4	0	0		1	7. 7			
Cannabigerol (CBG)	<0.5	0	0					<	
Cannabidiol (CBD)	<0.5	0	0						
Cannabinol (CBN)	<0.5	0	0	1					
Delta 9-Tetrahydrocannabinol (THC)	<0.5	0	0						
Delta 8-Tetrahydrocannabinol	<0.5	920.2	92.02	111111					111
Delta 10-Tetrahydrocannabinol (THC)	<0.5	0 /	0	/.[.]					
Cannabichromene(CBC)	<0.5	0	0		X.A				
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.4	0	0	VAR	VIII				1
A CONTRACTOR OF THE PARTY OF TH									

Cannabinoids Total

Test	111			m	g/cartridge	1	%	0	20	40	60	80	100
Max Active THC	4	1	1/	41	0	1	0	V					
Max Active CBD		//	11	1	0	1	0	(). (1		
T.Active Cannabinoids	1	11.	1		920.2		92.02				MIMIMI		IIII
Total Cannabinoids		1			920.2	K	92.02	IIIIII					IIII

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.