Customer:

Sample ID:

Sun State Hemp 4800 SW 51st Street, Suite 106,

Davie, FL 33314

D8SL6321 / Strawberry Lemonade

Laboratory Number: ATL-461



Report Issue Date 05/20/2021

Extraction Technician: HP

Analytical Chemist: HP

Hernan Prieto

Sample Description/Size:

Cartridge 1ml



Order Date 05/20/2021

Analysis Date 05/20/2021

CANNABINOID PROFILE

Cannabinoids (HPLC)		Results		Cannabinoid (%)					
LOD (mg/g)	mg/cartridge	%	0	20	40	60	80	100	
<2.0	0	0			17 17 1				
N/A	0	0	1/-		1	1	-	1	
N/A	0	0					-		
<2.0	0	0				-	1	- Lu	
<2.0	0	0		-	-				
<2,0	0	0		_^				1,	
<2,0	0	0					L		
<2.0	0 -	.0	AA						
<2.0	907.5	90.75							
<2.0	0	0							
N/A	0	0			I .		L		
	LOD (mg/g) <2.0 N/A N/A <2.0 <2.0 <2.0 <2.0 <2.0 <2.0 <2.0	LOD (mg/g) mg/cartridge <2.0	LOD (mg/g) mg/cartridge % <2.0	LOD (mg/g) mg/cartridge % 0 <2.0	LOD (mg/g) mg/cartridge % 0 20 <2.0	LOD (mg/g) mg/cartridge % 0 20 40 <2.0	LOD (mg/g) mg/cartridge % 0 20 40 60 <2.0 0 0 N/A 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0	LOD (mg/g) mg/cartridge % 0 20 40 60 80 <2.0 0 0 N/A 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0 <2.0 0 0	

Cannabinoids Total

Test	 mg/cartridge	%	0	20	40	60	80	100
Max Active THC	0	0	W.	A K				1
Max Active GBD	0	0			-			
T.Active Cannabinoids	907.5	90.75	1111111					IIII
Total Cannabinoids	907.5	90.75						IIII

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA



N/A = Not Analalyze

