CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: ELH Products, LLC
15901 SW 29th St, Suite 200
Miramar, FL 33027

Batch #: UBL167GR

Laboratory Number: ATL-14631

Report Issue Date: 7/28/2023

Order Date: 7/26/2023

Analysis Date: 7/28/2023

Sample Description:

Ultra Blend Green Apple Lollipop 50mg

Unit Weight: 15.2533g / Lollipop

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE-22 COUNTS

Analyte	LOQ (mg/g)	Results mg/lollipop	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/lollipop	%
D9-THC	<0.014	14.186	0.093
D8-THC	<0.005	18.456	0.121
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D
9S-HHC	<0.009	8.084	0.053
9R-HHC	<0.013	14.643	0.096
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/lollipop	%
D9-THCP	<0.009	0.351	0.002
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	N/D	N/D
9R-HHCP	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

	mg/lollipop	%
Max Active THC	14.19	0.09
Max Active CBD	N/D	N/D

	mg/lollipop	%
Total Active Cannabinoids	55.72	0.37
Total Cannabinoids	55.72	0.37

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA
(954) 515 - 0200
info@accuratetestlab.com